THE INSTITUTION
OF ELECTRICAL
ENGINEERS

IEE Proceedings Part G

Electronic Circuits and Systems

Vol. 128, 1981

Published by
The IEE Savoy Place, London WC2R 0BL, England
Publishing Department: PO Box 8, Southgate House, Stevenage, Herts. SG1 1HQ

IEE Proceedings Part G

ELECTRONIC CIRCUITS AND SYSTEMS

The Institution of Electrical Engineers, Savoy Place, London WC2 0BL, England
Publishing Department: PO Box 8, Southgate House, Stevenage, Herts. SG1 1HQ England

Volume 128 1981 UK ISSN 0143–7089

HONORARY EDITORS

Dr. D.G. Haigh (Imperial College, London)
M. Withers (Andrew Antennas, Fife)

Pages in issues of *IEE Proceedings Part G*, 1981

Pages	Issue no.	Date
1–52	1	February
53–100	2	April
101–144	3	June
145–244	4	August
245–276	5	October
277–312	6	December

This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright Act 1956, part 1, section 7, whereby a single copy of an article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by the UK Board of Trade Regulations (Statutory Instruments, 1957, no. 868), no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of papers or articles on condition that a full reference to the source is shown.

An IEE licensing arrangement exists whereby organisations entering into an agreement are legally entitled to make up to ten copies of an IEE paper or article.

The appearance of the code at the bottom of the first page of an article in this journal indicates the copyright owner's consent that copies of the article may be made in the USA for personal or internal use, or for the personal or internal use of specific clients. This consent is given on the condition, however, that the copier pay the stated per-copy fee through the Copyright Clearance Center. Inc. for copying beyond that permitted by Sections 107 or 108 of the US Copyright Law. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes for creating new collective works or for resale.

Photocopies of individual papers published in the IEE Proceedings can be obtained from the IEE Library at 10p a page plus a handling charge of 50p per paper, which covers the cost of surface mail (airmail extra). The handling charge is waived if reprints are collected from Savoy Place by purchasers.

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.
© 1981: The Institution of Electrical Engineers

Secretary of the IEE: H.H.W. Losty; *Managing Editor*: Bernard Dunkley;
Assistant Editor: Eric Ratcliffe; *Graphics Manager*: Maurice Partridge; *Marketing Manager*: Alan Baldwin

Typeset by: Alden Press (London and Northampton) Ltd., England
Printed in England by: Unwin Brothers Ltd., Old Woking, Surrey

INDEX

IEE Proceedings Part G
Electronic Circuits and Systems
Vol. 128, 1981

Abbreviations
- p Paper, address or lecture
- d Discussion on a paper
- a Abstract of paper or address
- e Errata
- s Synopsis of a paper published in full in another Part of the IEE Proceedings

Author index

A

Abuelma'atti, M.T., and Gardiner, J.G. Approximate method for hand computation of amplifier intermodulation product levels p32
Ahmadi, M., Antoniou, A., and Charalambous, C. see Antoniou, A.
Al-Najjar, A.R., and Massara, R.E. see Massara, R.E.
Alexiou, G., Deliyannis, T., and Haritantis, I. Sensitivity and high-frequency performance of new wave active filters p251
Allen, P.J., and Holt, A.G.J. Implementation of a 2nd-order digital filter using AM2900 bit-slice devices and a fast multiplier p216
Antoniou, A., Ahmadi, M., and Charalambous, C. Design of factorable lowpass 2-dimensional digital filters satisfying prescribed specifications p53
Arthur, J.W., Reekie, H.M., Mavor, J., and Cowan, C.F.N. Inherent error correction in analogue CCD adaptive filters p205

B

Bateman, M.R., and Liu, B. Programmable CTD filtering using coefficients 0, + 1, and - 1 p208
Bhattacharyya, B.B., Sundaramurthy, M., and Swamy, M.N.S. Systematic generation of canonic sinusoidal RC-active oscillators p114
Biey, M., and Premoli, A. Low-Q approximation of filters with prescribed attenuation shape p149
Bolton, A.G. Analysis of digital filters with randomly dithered coefficients p61
Bolton, A.G. Design of recursive digital filters for microprocessor implementation, using fixed-point arithmetic p245
Bolton, A.G. Design of sampled control systems using Laplace domain techniques p138
Bolton, A.G., and Davis, B.R. Evaluation of coefficient sensitivities for 2nd-order digital resonators p127
Bowron, P., and O'Carroll, A.P. High-frequency active filters p184
Brand, J.R., and Schaumann, R. see Schaumann, R.
Brugger, Urs. W., Plodeck, R., von Grünigen, D.C., and Moschytz, G.S. see Plodeck, R.
Bruton, L.T., Haslett, J.W., and Rao, M.K.N. High-frequency GIC filters using integrated transconductance-type active filters p187

C

Challener, P. Waveform correctors for use in reduced bandwidth video systems in the local network p236
Chamberlain, S.G., El-Diwany, M.H., and Roulston, D.J. see El-Diwany, M.H.
Charalambous, C., Antoniou, A., and Ahmadi, M. see Antoniou, A.
Chiou, C.-F., and Schaumann, R. Performance of GIC-derived active RC biquads with variable gain p46
Chiou, C.-F., and Schaumann, R. Refined procedure for optimising signal-to-noise ratio in cascade active-RC filters p189
Choma, J. Harmonic and intermodulation distortion in current-feedback bipolar transistor amplifiers p264
Cowan, C.F.N., Arthur, J.W., Reekie, H.M., and Mavor, J. see Arthur, J.W.
Cox, B.D., and Tuladhar, K.K. see Tuladhar, K.K.
Cutteridge, O.P.D., and Dimmer, P.R. see Dimmer, P.R.

D

Dao, T.H., and Ha, T.T. Explicit formulas for GaAs f.e.t. amplifier interstage matching networks p25
Davis, B.R., and Bolton, A.G. see Bolton, A.G.
Deliyannis, T., and Fotopoulos, S. Noise in the cascade of biquartic section filter p192
Deliyannis, T., Alexiou, G., and Haritantis, I. see Alexiou, G.
Dillon, C. Sensitivity considerations in cascaded lattice-type quadrature-modulation networks p154
Dimmer, P.R., and Cutteridge, O.P.D. Second derivative Gauss-Newton-based method for solving nonlinear simultaneous equations e52

E

El-Diwany, M.H., Roulston, D.J., and Chamberlain, S.G. Design of low-noise bipolar transimpedance preamplifiers for optical receivers p299
Evans, W.A., and Riggs, W. see Riggs, W.

F

Faruque, S.M., Vlach, J., and Viswanathan, T.R. Switched-capacitor inductors and their use in LC filter simulation p227
Fettweis, A. Scattering properties of real and complex lossless 2-ports p147
Fidler, J.K., and Milić, L. see Milić, L.
Filanovsky, I.M., and Stromsmoe, K.A. Approximation in the time domain when transfer-function poles are preassigned p35
Fliege, N. Multiple-parameter tunable digital filters using submultiple sampling techniques p220
Fotopoulos, S., and Deliyannis, T. see Deliyannis, T.

G

Gardiner, J.G., and Abuelma'atti, M.T. see Abuelma'atti, M.T.
Ghaderi, M.B., Temes, G.C., and Law, S. Linear interpolation using CCDs or switched-capacitor filters p213
Ghausi, M.S., and Padukone, P. see Padukone, P.
Greaves, A.J., Rollett, J.M., and Nightingale, C. see Rollett, J.M.

H

Ha, T.T., and Dao, T.H. see Dao, T.H.
Haritantis, I., Alexiou, G., and Deliyannis, T. see Alexiou, G.
Hasler, M. Sensitivity comparison of three GIC bandpass filters p158
Haslett, J.W., Bruton, L.T., and Rao, M.K.N. see Bruton, L.T.
Holt, A.G.J., and Allen, P.J. see Allen, P.J.
Hosny, E.A., and Sobhy, M.I. see Sobhy, M.I.
Hullett, J.L., and Moustakas, S. see Moustakas, S.

I

Ilumoka, A., and Spence, R. Reduction of tolerance effects in the 2nd-order Sallen-Key filter p163

J

Jain, N.K., and Singhal, K. Efficient computational algorithm for linear oscillator frequency sensitivities p273

K

Kader, A., and Talbot, A. Inversion of polynomial network matrices with particular reference to sensitivity analysis p170
Kayran, A.H., and King, R. see King, R.
King, R., and Kayran, A.H. Modified stabilisation technique for 2-dimensional recursive digital filter design p77
Kinniment, D.J. Performance comparison of conventional and backtracking algorithms in circuit routing e100

L

Lagoyannis, D. Stieltjes-type correlator based on delta-sigma modulation p9
Law, S., Ghaderi, M.B., and Temes, G.C. see Ghaderi, M.B.
Lawson, S.S. Implementation of wave digital filter structures p224
Lawson, S.S. Wave digital filter hardware structure p307
Lind, L.F., and Mohammed, S.A. Construction of filter functions from phase polynomials p152
Linggard, R., and Smith, B.D.V. see Smith, B.D.V.
Liu, B., and Bateman, M.R. see Bateman, M.R.
Lueder, E., and Tilch, H.J. Pole-zero assignment for RC-active filters with minimised sensitivity p167

M

Massara, R.E., and Al-Najjar, A.R. FDNR realisation of all-pole lowpass filters p195
Mavor, J., Arthur, J.W., Reekie, H.M., and Cowan, C.F.N. see Arthur, J.W.
Milić, L., and Fidler, J.K. Comparison of effects of tolerance and parasitic loss in components of resistively terminated LC ladder filters p87
Miwa, Y. Design method of multistage amplifiers using Nichols chart p1
Mohammed, S.A., and Lind, L.F. see Lind, L.F.
Moschytz, G.S., Plodeck, R., Brugger, Urs. W., and von Grünigen, D.C. see Plodeck, R.
Moustakas, S., and Hullett, J.L. Noise modelling for broadband amplifier design p67
Myers, B.R. Optimally connected communication networks with maximum diameters p289

N

Nguyen, D.T. Overflow oscillation in digital lattice filters p269
Nightingale, C. Synthesis of a class of lossy ladder networks p230
Nightingale, C., Rollett, J.M., and Greaves, A.J. see Rollett, J.M.

O

O'Carroll, A.P., and Bowron, P. see Bowron, P.

P

Padukone, P., and Ghausi, M.S. Design of high-order unsymmetrical multiple-loop feedback active filters p198
Perry, D.J. Scaling transformation of multiple-feedback filters p176
Piedade, M.S., and Silva, M.M. Linear transformation active filters p180
Plodeck, R., Brugger, Urs. W., von Grünigen, D.C., and Moschytz, G.S. SCANAL - A program for the computer-aided analysis of switched-capacitor networks p277
Premoli, A., and Biey, M. see Biey, M.

R

Rao, M.K.N., Bruton, L.T., and Haslett, J.W. see Bruton, L.T.
Reekie, H.M., Arthur, J.W., Mavor, J., and Cowan, C.F.N. see Arthur, J.W.
Reza, F.M. Generation of inductive and capacitive accretive operators p131
Reza, R.M. Unattainable region of power performance of Schlicht networks p286
Riggs, W., and Evans, W.A. Automatic component meter range design using floating-point conversion p93
Rollett, J.M., Nightingale, C., and Greaves, A.J. Design and economical realisation of a hybrid RC-active lowpass filter for PCM p201
Roulston, D.J., El-Diwany, M.H., and Chamberlain, S.G. see El-Diwany, M.H.

S

Saeks, R., and Wu, C.-C. see Wu, C.-C.
Schaumann, R., and Brand, J.R. Integrable analogue active filters for implementation in MOS technology p19
Schaumann, R., and Chiou, C.-F. see Chiou, C.-F.
Sedra, A.S., and Snelgrove, W.M. see Snelgrove, W.M.
Seevinck, E. Simple, wide-range approximations to trigonometric and inverse trigonometric functions useful in real-time signal processing p41
Shieh, L.S., Yeh, S., and Zhang, H.Y. Realisations of matrix transfer functions using RC ladders and summers p101
Silva, M.M., and Piedade, M.S. see Piedade, M.S.
Singhal, K., and Vlach, J. Symbolic circuit analysis p81
Singhal, K., and Jain, N.K. see Jain, N.K.
Smith, B.D.V., and Linggard, R. Design of analogue and digital phase-complementary filters p15
Snelgrove, W.M., and Sedra, A.S. State-variable biquads with optimum integrator sensitivities p173
Sobhy, M.I., and Hosny, E.A. State-space analysis of lumped/distributed networks in time and frequency domains p293
Spence, R., and Ilumoka, A. see Ilumoka, A.
Stevenson, J.K. Transformation for active-RC networks p182
Stromsmoe, K.A., and Filanovsky, I.M. see Filanovsky, I.M.
Sundaramurthy, M., Bhattacharyya, B.B., and Swamy, M.N.S. see Bhattacharyya, B.B.
Swamy, M.N.S., Bhattacharyya, B.B., and Sundaramurthy, M. see Bhattacharyya, B.B.

T

Talbot, A., and Kader, A. see Kader, A.
Temes, G.C., Ghaderi, M.B., and Law, S. see Ghaderi, M.B.
Tilch, H.J., and Lueder, E. see Lueder, E.
Tuladhar, K.K., and Cox, B.D. Design of 4th-order monolithic crystal filters p234

V

van den Steen, L. Time-averaging circuit with continuous response p111
Viswanathan, T.R., Faruque, S.M., and Vlach, J. see Faruque, S.M.
Vlach, J., Faruque, S.M., and Viswanathan, T.R. see Faruque, S.M.
Vlach, J., and Singhal, K. see Singhal, K.
von Grünigen, D.C., Plodeck, R., Brugger, Urs. W., and Moschytz, G.S. see Plodeck, R.

W

Wu, C.-C., and Saeks, R. Data base for symbolic network analysis p257

Y

Yeh, S., Shieh, L.S., and Zhang, H.Y. see Shieh, L.S.

Z

Zhang, H.Y., Shieh, L.S., and Yeh, S. see Shieh, L.S.
Zurada, J.M. Application of multiplying digital-to-analogue convertor to digital control of active filter characteristics p91
Zyoute, M. New active RC Bode-type variable equaliser p134 e306

Subject index

ACTIVE NETWORKS

Design of high-order unsymmetrical multiple-loop feedback active filters. P.Padukone and M.S.Ghausi p198
Linear transformation active filters. M.S.Piedade and M.M.Silva p180
Pole-zero assignment for RC-active filters with minimised sensitivity. E.Lueder and H.J.Tilch p167
Sensitivity and high-frequency performance of new wave active filters. G.Alexiou, T.Deliyannis and I.Haritantis p251
Sensitivity comparison of three GIC bandpass filters. M.Hasler p158
Transformation for active-RC networks. J.K.Stevenson p182

ALGEBRA
(incl. Matrix Algebra)

Inversion of polynomial network matrices with particular reference to sensitivity analysis. A.Kader and A.Talbot p170
Realisations of matrix transfer functions using RC ladders and summers. L.S.Shieh, S.Yeh and H.Y.Zhang p101

AMPLIFIERS

Design method of multistage amplifiers using Nichols chart. Y.Miwa p1
Design of low-noise bipolar transimpedance preamplifiers for optical receivers. M.H.El-Diwany, D.J.Roulston and S.G.Chamberlain p299
Explicit formulas for GaAs f.e.t. amplifier interstage matching networks. T.H.Dao and T.T.Ha p25
Harmonic and intermodulation distortion in current-feedback bipolar transistor amplifiers. J.Choma p264
Noise modelling for broadband amplifier design. S.Moustakas and J.L.Hullett p67

ANALOGUE-DIGITAL CONVERSION

Application of multiplying digital-to-analogue convertor to digital control of active filter characteristics. J.M.Zurada p91
Automatic component meter range design using floating-point conversion. W.Riggs and W.A.Evans p93

CABLES AND OVERHEAD LINES

Waveform correctors for use in reduced bandwidth video systems in the local network. P.Challener p236

CHARGE-COUPLED DEVICES

Inherent error correction in analogue CCD adaptive filters. J.W.Arthur, H.M.Reekie, J.Mavor and C.F.N.Cowan p205
Programmable CTD filtering using coefficients 0, + 1, and - 1. M.R.Bateman and B.Liu p208

CIRCUIT THEORY AND DESIGN

Construction of filter functions from phase polynomials. L.F.Lind and S.A.Mohammed p152
Design and economical realisation of a hybrid RC-active lowpass filter for PCM. J.M.Rollett, C.Nightingale and A.J.Greaves p201
Simple, wide-range approximations to trigonometric and inverse trigonometric functions useful in real-time signal processing. E.Seevinck p41
Symbolic circuit analysis. K.Singhal and J.Vlach p81
Time-averaging circuit with continuous response. L.van den Steen p111

COMPONENTS

Automatic component meter range design using floating-point conversion. W.Riggs and W.A.Evans p93

COMPUTER APPLICATIONS

Performance comparison of conventional and backtracking algorithms in circuit routing. D.J.Kinniment e100
SCANAL - A program for the computer-aided analysis of switched-capacitor networks. R.Plodeck, Urs.W.Brugger, D.C.von Grünigen and G.S.Moschytz p277
State-space analysis of lumped/distributed networks in time and frequency domains. M.I.Sobhy and E.A.Hosny p293
Wave digital filter hardware structure. S.S.Lawson p307

CONVERTORS

Application of multiplying digital-to-analogue convertor to digital control of active filter characteristics. J.M.Zurada p91
Automatic component meter range design using floating-point conversion. W.Riggs and W.A.Evans p93
Stieltjes-type correlator based on delta-sigma modulation. D.Lagoyannis p9

DIGITAL CIRCUITS

Analysis of digital filters with randomly dithered coefficients. A.G.Bolton p61
Design of recursive digital filters for microprocessor implementation, using fixed-point arithmetic. A.G.Bolton p245
Modified stabilisation technique for 2-dimensional recursive digital filter design. R.King and A.H.Kayran p77
Multiple-parameter tunable digital filters using submultiple sampling techniques. N.Fliege p220
Overflow oscillation in digital lattice filters. D.T.Nguyen p269
Wave digital filter hardware structure. S.S.Lawson p307

DIGITAL COMMUNICATION SYSTEMS AND SIGNALLING

Design of factorable lowpass 2-dimensional digital filters satisfying prescribed specifications. A.Antoniou, M.Ahmadi and C.Charalambous p53

DIGITAL COMPUTERS AND COMPUTATION

Design of sampled control systems using Laplace domain techniques. A.G.Bolton p138

FEEDBACK

Design of high-order unsymmetrical multiple-loop feedback active filters. P.Padukone and M.S.Ghausi p198
Scaling transformation of multiple-feedback filters. D.J.Perry p176

FILTERS, FILTERING AND PREDICTION THEORY

Analysis of digital filters with randomly dithered coefficients. A.G.Bolton p61
Application of multiplying digital-to-analogue convertor to digital control of active filter characteristics. J.M.Zurada p91
Comparison of effects of tolerance and parasitic loss in components of resistively terminated LC ladder filters. L.Milić and J.K.Fidler p87
Construction of filter functions from phase polynomials. L.F.Lind and S.A.Mohammed p152
Design and economical realisation of a hybrid RC-active lowpass filter for PCM. J.M.Rollett, C.Nightingale and A.J.Greaves p201
Design of 4th-order monolithic crystal filters. K.K.Tuladhar and B.D.Cox p234
Design of analogue and digital phase-complementary filters. B.D.V.Smith and R.Linggard p15
Design of factorable lowpass 2-dimensional digital filters satisfying prescribed specifications. A.Antoniou, M.Ahmadi and C.Charalambous p53
Design of high-order unsymmetrical multiple-loop feedback active filters. P.Padukone and M.S.Ghausi p198
Design of recursive digital filters for microprocessor implementation, using fixed-point arithmetic. A.G.Bolton p245
Evaluation of coefficient sensitivities for 2nd-order digital resonators. A.G.Bolton and B.R.Davis p127
FDNR realisation of all-pole lowpass filters. R.E.Massara and A.R.Al-Najjar p195
High-frequency active filters. P.Bowron and A.P.O'Carroll p184
High-frequency GIC filters using integrated transconductance-type active filters. L.T.Bruton, J.W.Haslett and M.K.N.Rao p187
Implementation of a 2nd-order digital filter using AM2900 bit-slice devices and a fast multiplier. P.J.Allen and A.G.J.Holt p216
Implementation of wave digital filter structures. S.S.Lawson p224
Inherent error correction in analogue CCD adaptive filters. J.W.Arthur, H.M.Reekie, J.Mavor and C.F.N.Cowan p205
Integrable analogue active filters for implementation in MOS technology. R.Schaumann and J.R.Brand p19
Linear interpolation using CCDs or switched-capacitor filters. M.B.Ghaderi, G.C.Temes and S.Law p213
Linear transformation active filters. M.S.Piedade and M.M.Silva p180
Low-Q approximation of filters with prescribed attenuation shape. M.Biey and A.Premoli p149
Modified stabilisation technique for 2-dimensional recursive digital filter design. R.King and A.H.Kayran p77

Multiple-parameter tunable digital filters using submultiple sampling techniques. N.Fliege p220
Noise in the cascade of biquartic section filter. T.Deliyannis and S.Fotopoulos p192
Overflow oscillation in digital lattice filters. D.T.Nguyen p269
Performance of GIC-derived active RC biquads with variable gain. C.-F.Chiou and R.Schaumann p46
Pole-zero assignment for RC-active filters with minimised sensitivity. E.Lueder and H.J.Tilch p167
Programmable CTD filtering using coefficients 0, + 1, and - 1. M.R.Bateman and B.Liu p208
Reduction of tolerance effects in the 2nd-order Sallen-Key filter. A.Ilumoka and R.Spence p163
Refined procedure for optimising signal-to-noise ratio in cascade active-RC filters. C.-F.Chiou and R.Schaumann p189
Scaling transformation of multiple-feedback filters. D.J.Perry p176
Scattering properties of real and complex lossless 2-ports. A.Fettweis p147
Sensitivity and high-frequency performance of new wave active filters. G.Alexiou, T.Deliyannis and I.Haritantis p251
Sensitivity comparison of three GIC bandpass filters. M.Hasler p158
State-variable biquads with optimum integrator sensitivities. W.M.Snelgrove and A.S.Sedra p173
Switched-capacitor inductors and their use in LC filter simulation. S.M.Faruque, J.Vlach and T.R.Viswanathan p227
Synthesis of a class of lossy ladder networks. C.Nightingale p230
Transformation for active-RC networks. J.K.Stevenson p182
Wave digital filter hardware structure. S.S.Lawson p307

GRAPH THEORY AND TOPOLOGY

Design method of multistage amplifiers using Nichols chart. Y.Miwa p1

INDUCTORS AND INDUCTANCE

Switched-capacitor inductors and their use in LC filter simulation. S.M.Faruque, J.Vlach and T.R.Viswanathan p227

INSTRUMENTATION AND MEASURING SCIENCE

Automatic component meter range design using floating-point conversion. W.Riggs and W.A.Evans p93

MATHEMATICAL TECHNIQUES

Efficient computational algorithm for linear oscillator frequency sensitivities. N.K.Jain and K.Singhal p273
Performance comparison of conventional and backtracking algorithms in circuit routing. D.J.Kinniment e100
Reduction of tolerance effects in the 2nd-order Sallen-Key filter. A.Ilumoka and R.Spence p163
Second derivative Gauss-Newton-based method for solving nonlinear simultaneous equations. P.R.Dimmer and O.P.D.Cutteridge e52
Simple, wide-range approximations to trigonometric and inverse trigonometric functions useful in real-time signal processing. E.Seevinck p41

MICROPROCESSORS

Design of recursive digital filters for microprocessor implementation, using fixed-point arithmetic. A.G.Bolton p245

MICROWAVE CIRCUITS AND NETWORKS

Explicit formulas for GaAs f.e.t. amplifier interstage matching networks. T.H.Dao and T.T.Ha p25

MODULATION

Approximate method for hand computation of amplifier intermodulation product levels. M.T.Abuelma'atti and J.G.Gardiner p32
Stieltjes-type correlator based on delta-sigma modulation. D.Lagoyannis p9

NETWORKS

Approximation in the time domain when transfer-function poles are preassigned. I.M.Filanovsky and K.A.Stromsmoe p35
Data base for symbolic network analysis. C.-C.Wu and R.Saeks p257
Design of factorable lowpass 2-dimensional digital filters satisfying prescribed specifications. A.Antoniou, M.Ahmadi and C.Charalambous p53
Efficient computational algorithm for linear oscillator frequency sensitivities. N.K.Jain and K.Singhal p273
Generation of inductive and capacitive accretive operators. F.M.Reza p131
New active RC Bode-type variable equaliser. M.Zyoute p134 e306
Optimally connected communication networks with maximum diameters. B.R.Myers p289
Realisations of matrix transfer functions using RC ladders and summers. L.S.Shieh, S.Yeh and H.Y.Zhang p101
SCANAL - A program for the computer-aided analysis of switched-capacitor networks. R.Plodeck, Urs.W.Brugger, D.C.von Grünigen and G.S.Moschytz p277
Scattering properties of real and complex lossless 2-ports. A.Fettweis p147
Sensitivity and high-frequency performance of new wave active filters. G.Alexiou, T.Deliyannis and I.Haritantis p251
Sensitivity considerations in cascaded lattice-type quadrature-modulation networks. C.Dillon p154
State-space analysis of lumped/distributed networks in time and frequency domains. M.I.Sobhy and E.A.Hosny p293
Symbolic circuit analysis. K.Singhal and J.Vlach p81
Synthesis of a class of lossy ladder networks. C.Nightingale p230
Systematic generation of canonic sinusoidal RC-active oscillators. B.B.Bhattacharyya, M.Sundaramurthy and M.N.S.Swamy p114
Unattainable region of power performance of Schlicht networks. R.M.Reza p286

NOISE AND INTERFERENCE

Design of low-noise bipolar transimpedance preamplifiers for optical receivers. M.H.El-Diwany, D.J.Roulston and S.G.Chamberlain p299
Noise in the cascade of biquartic section filter. T.Deliyannis and S.Fotopoulos p192
Noise modelling for broadband amplifier design. S.Moustakas and J.L.Hullett p67
Refined procedure for optimising signal-to-noise ratio in cascade active-RC filters. C.-F.Chiou and R.Schaumann p189

NONLINEAR SYSTEMS

Approximate method for hand computation of amplifier intermodulation product levels. M.T.Abuelma'atti and J.G.Gardiner p32
Second derivative Gauss-Newton-based method for solving nonlinear simultaneous equations. P.R.Dimmer and O.P.D.Cutteridge e52

OPTIMAL CONTROL

Second derivative Gauss-Newton-based method for solving nonlinear simultaneous equations. P.R.Dimmer and O.P.D.Cutteridge e52

PERTURBATION THEORY

Symbolic circuit analysis. K.Singhal and J.Vlach p81

PRINTED CIRCUITS

Performance comparison of conventional and backtracking algorithms in circuit routing. D.J.Kinniment e100

SEMICONDUCTOR DEVICES AND MATERIALS

Efficient computational algorithm for linear oscillator frequency sensitivities. N.K.Jain and K.Singhal p273
Systematic generation of canonic sinusoidal RC-active oscillators. B.B.Bhattacharyya, M.Sundaramurthy and M.N.S.Swamy p114

SIGNAL PROCESSING

Linear interpolation using CCDs or switched-capacitor filters. M.B.Ghaderi, G.C.Temes and S.Law p213
Simple, wide-range approximations to trigonometric and inverse trigonometric functions useful in real-time signal processing. E.Seevinck p41

SIMULATION

Design of sampled control systems using Laplace domain techniques. A.G.Bolton p138

STABILITY

Modified stabilisation technique for 2-dimensional recursive digital filter design. R.King and A.H.Kayran p77

SURFACE-ACOUSTIC-WAVE DEVICES (SAW)

Switched-capacitor inductors and their use in LC filter simulation. S.M.Faruque, J.Vlach and T.R.Viswanathan p227

TELEVISION

Waveform correctors for use in reduced bandwidth video systems in the local network. P.Challener p236

TRANSFER FUNCTIONS

Approximation in the time domain when transfer-function poles are preassigned. I.M.Filanovsky and K.A.Stromsmoe p35
Construction of filter functions from phase polynomials. L.F.Lind and S.A.Mohammed p152
Data base for symbolic network analysis. C.-C.Wu and R.Saeks p257
Evaluation of coefficient sensitivities for 2nd-order digital resonators. A.G.Bolton and B.R.Davis p127
Low-Q approximation of filters with prescribed attenuation shape. M.Biey and A.Premoli p149
New active RC Bode-type variable equaliser. M.Zyoute p134 e306
Realisations of matrix transfer functions using RC ladders and summers. L.S.Shieh, S.Yeh and H.Y.Zhang p101
State-variable biquads with optimum integrator sensitivities. W.M.Snelgrove and A.S.Sedra p173

TRANSFORMS

Approximate method for hand computation of amplifier intermodulation product levels. M.T.Abuelma'atti and J.G.Gardiner p32

TRANSISTORS

Explicit formulas for GaAs f.e.t. amplifier interstage matching networks. T.H.Dao and T.T.Ha p25

Book Reviews

Analog integrated circuits: M. Herpy p285
Electronics for the physicist with applications: C.F.G. Delaney p288
Very large scale integration (VLSI) - fundamentals and applications: J. Mavor p52